Journal of Applied Microbiology

Edited by

A. F. Godfree

Volume 96, 2004

Copyright © 2004 by The Society for Applied Microbiology

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the Society

Print ISSN 1364-5072
Online ISSN 1365-2672

Published by
Blackwell Publishing Ltd
OXFORD BOSTON MELBOURNE BERLIN
COPENHAGEN TOKYO AMES

Printed in Great Britain

Contents

Volume 96, Issue 1, January 2004

1 Editorial *A. Godfree*

3 Author Guidelines

9 Preface *P. Borriello*

10 Serodiagnosis of infectious diseases with antigen microarrays *T. Bacarese-Hamilton, L. Mezzasoma, A. Ardizzoni, F. Bistoni & A. Crisanti*

18 Molecular signatures for diagnosis of infection: application of microarray technology *C.J. Campbell & P. Ghazal*

24 Analysis of parasites by electrorotation *C. Dalton, A.D. Goater, J.P.H. Burt & H.V. Smith*

33 Bioluminescent bioreporter integrated circuits: potentially small, rugged and inexpensive whole-cell biosensors for remote environmental monitoring *D.E. Nivens, T.E. McKnight, S.A. Moser, S.J. Osbourn, M.L. Simpson & G.S. Sayler*

47 Fluorescence-based array biosensors for detection of biohazards *K.E. Sapsford, Y.S. Shubin, J.B. Delehanty, J.P. Golden, C.R. Taitt, L. C. Shriver-Lake & F.S. Ligler*

59 Species differentiation and antibiotic susceptibility testing with DNA microarrays *G. Vernet, C. Jay, M. Rodrigue & A. Troesch*

69 Suppression of *Rhizoctonia solani* diseases of sugar beet by antagonistic and plant growth-promoting yeasts *K.A. El-Tarabily*

76 Effect of wine yeast monoculture practice on the biodiversity of non-*Saccharomyces* yeasts *M.A. Ganga & C. Martínez*

84 Screening and typing of Patagonian wine yeasts for glycosidase activities *M.E. Rodríguez, C.A. Lopes, M. van Broock, S. Valles, D. Ramón & A.C. Caballero*

96 Modelling and predicting the simultaneous growth of *Listeria monocytogenes* and spoilage micro-organisms in cold-smoked salmon *B. Giménez & P. Dalgaard*

110 Evaluation of the effect of cleaning regimes on biofilms of thermophilic bacilli on stainless steel *S.G. Parkar, S.H. Flint & J.D. Brooks*

117 Phylogenetic analysis and *in situ* identification of the intestinal microbial community of rainbow trout (*Oncorhynchus mykiss*, Walbaum) *I. Huber, B. Spanggaard, K.F. Appel, L. Rossen, T. Nielsen & L. Gram*

133 The contribution of bacteriocin to inhibition of *Listeria monocytogenes* by *Carnobacterium piscicola* strains in cold-smoked salmon systems *L. Nilsson, Y.Y. Ng, J.N. Christiansen, B.L. Jørgensen, D. Grótinum & L. Gram*

144 Characterization of closely related lactococcal starter strains which show differing patterns of bacteriophage sensitivity *L.J.H. Ward, H.A. Heap & W.J. Kelly*

149 Comparison of contamination and growth of *Mycobacterium avium* subsp. *paratuberculosis* on two different media *S.S. Nielsen, B. Kolmos & A.B. Christoffersen*

154 Influence of the growth phase and culture medium on the survival of *Mannheimia haemolytica* during storage at different temperatures *E. van Rensburg, J.C. du Preez & S.G. Kilian*

162 Dormant ascospores of *Talaromyces macrosporus* are activated to germinate after treatment with ultra high pressure *J. Dijksterhuis & P.G.M. Teunissen*

170 Evaluation of novel β-ribosidase substrates for the differentiation of Gram-negative bacteria *L.A. Butterworth, J.D. Perry, G. Davies, M. Burton, R.H. Reed & F.K. Gould*

177 Biofilm formation and cell-to-cell signalling in Gram-negative bacteria isolated from a food processing environment *R. Van Houdt, A. Aertsen, A. Jansen, A.L. Quintana & C.W. Michiels*

185 Expression analysis of putative *arcA*, *arcB* and *arcC* genes partially cloned from *Lactobacillus plantarum* isolated from wine *G. Spano, G. Chieppa, L. Beneduce & S. Massa*

194 Inorganic compounds have dual effect on recombinant protein production: influence of anions and cations on serine alkaline protease production *P. Çalik, E. Bilir, İ.Ş. Özçelik, G. Çalik & T.H. Özdamar*

201 Cross-resistance to antibiotics of *Escherichia coli* adapted to benzalkonium chloride or exposed to stress-inducers *S. Langsrud, G. Sundheim & A.L. Holck*

209 Characterization of urease genes cluster of *Streptococcus thermophilus* *D. Mora, E. Maguin, M. Masiero, C. Parini, G. Ricci, P.L. Manachini & D. Daffonchio*

Volume 96, Issue 2, February 2004

221 Letter to the Editor *J. Hoorfar, N. Cook, B. Malorny, M. Wagner, D. De Medici, A. Abdulmawjood & P. Fach*

223 Peptidase activity in various species of dairy thermophilic lactobacilli *M. Gatti, M.E. Fornasari, C. Lazzi, G. Mucchetti & E. Neviani*

230 Relationship between interaction sites in the gut, hydrophobicity, mucosal immunomodulating capacities and cell wall protein profiles in indigenous and exogenous bacteria *C.G. Vinderola, M. Medici & G. Perdigón*

244 The synergistic effect of EDTA/antimicrobial combinations on *Pseudomonas aeruginosa* *R.J.W. Lambert, G.W. Hanlon & S.P. Denyer*

254 Formation and regeneration of protoplasts in *Sclerotium rolfsii* ATCC 201126 *J.I. Fariña, O.E. Molina & L.I.C. Figueroa*

263 PCR–DGGE fingerprints of microbial succession during a manufacture of traditional water buffalo mozzarella cheese *D. Ercolini, G. Mauriello, G. Blaiotta, G. Moschetti & S. Coppola*

271 Oxidation–reduction potential regulates RpoS levels in *Salmonella* Typhimurium *E. Komitopoulou, N.J. Bainton & M.R. Adams*

279 The composition and persistence of faecal coliforms and enterococcal populations in sewage treatment plants *X. Vilanova, A. Manero, M. Cerdà-Cuéllar & A.R. Blanch*

289 Mechanisms of killing of *Bacillus subtilis* spores by Decon and Oxone™, two general decontaminants for biological agents *S.B. Young & P. Setlow*

302 Genetic characterization of *Erwinia amylovora* strains by amplified fragment length polymorphism *A. Rico, A. Ortiz-Barredo, E. Ritter & J. Murillo*

311 Evaluation of an indirect serum ELISA and a bacteriological faecal culture test for diagnosis of *Salmonella* serotype Dublin in cattle using latent class models *L.R. Nielsen, N. Toft & A.K. Ersboll*

320 Newly isolated *Bacillus clausii* GMBAE 42: an alkaline protease producer capable to grow under higly alkaline conditions *A.A. Denizci, D. Kazan, E.C.A. Abeln & A. Erarslan*

328 The rapid identification of *Acinetobacter* species using Fourier transform infrared spectroscopy *C.L. Winder, E. Carr, R. Goodacre & R. Seviour*

340 Characterization of three *Lactobacillus delbrueckii* subsp. *bulgaricus* phages and the physicochemical analysis of phage adsorption *A. Quiberoni, D. Guglielmotti, A. Binetti & J. Reinheimer*

352 A potent feed preservative candidate produced by *Calcarisporium* sp., an endophyte residing in stargrass (*Cynodon dactylon*) *L.L. Ji, Y.C. Song & R.X. Tan*

359 Induction of viable but nonculturable state in *Vibrio parahaemolyticus* and its susceptibility to environmental stresses *H.C. Wong & P. Wang*

367 Identification and characterization of a conserved nuclease secreted by strains of the *Lactobacillus casei* group *B. Péant & G. LaPointe*

375 A comparison of methods used to enumerate *Escherichia coli* in conventionally treated sewage sludge *J.P. Eccles, R. Searle, D. Holt & P.J. Dennis*

384 Microbiological characterization and probiotic potential of *koko* and *koko sour water*, African spontaneously fermented millet porridge and drink *V. Lei & M. Jakobsen*

398 Effects of high-pressure processing on *Listeria monocytogenes*, spoilage microflora and multiple compound quality indices in chilled cold-smoked salmon *R. Lakshmanan & P. Dalgaard*

409 Determination of *Cryptosporidium parvum* oocyst viability by fluorescence *in situ* hybridization using a ribosomal RNA-directed probe *J.J. Smith, T.S. Gunasekera, C.R.M. Barardi, D. Veal & G. Vesey*

Volume 96, Issue 3, March 2004

419 Strategies for the detection of *Escherichia coli* O157:H7 in foods *A.K. Deisingh & M. Thompson*

430 Efficiency of chlorocatechol metabolism in natural and constructed chlorobenzoate and chlorobiphenyl degraders *V. Brenner, L. Rucká, S. Totevová, K. Tomeraas & K. Demnerová*

437 The use of a marked strain of *Pseudomonas fluorescens* to model the spread of brain tissue to the musculature of cattle after shooting with a captive bolt gun *D.M. Prendergast, J.J. Sheridan, D.J. Daly, D.A. McDowell & I.S. Blair*

447 Evaluation of a RAPD-based typing scheme in a molecular epidemiology study of *Vibrio cholerae* O1, Brazil *N.C. Leal, M. Sobreira, T.C. Leal-Balbino, A.M.P. de Almeida, M.J.B. da Silva, D.M. Mello, L.M. Seki & E. Hofer*

455 Immigration and emigration of *Burkholderia cepacia* and *Pseudomonas aeruginosa* between and within mixed biofilm communities *A.G. Al-Bakri, P. Gilbert & D.G. Allison*

464 Inactivation of indicator micro-organisms from various sources of faecal contamination in seawater and freshwater *R.T. Noble, I.M. Lee & K.C. Schiff*

473 Screening plant growth-promoting rhizobacteria for improving growth and yield of wheat *A. Khalid, M. Arshad & Z.A. Zahir*

481 Evaluation of bacterial communities belonging to natural whey starters for Grana Padano cheese by length heterogeneity-PCR *C. Lazzi, L. Rossetti, M. Zago, E. Neviani & G. Giraffa*

491 *In vitro* water activity and pH dependence of mycelial growth and extracellular enzyme activities of *Trichoderma* strains with biocontrol potential *L. Kredics, L. Manczinger, Z. Antal, Z. Pénzes, A. Szekeres, F. Kevei & E. Nagy*

499 Microbiological examination of ready-to-eat cold sliced meats and pâté from catering and retail premises in the UK *R. Elson, F. Burgess, C.L. Little & R.T. Mitchell on behalf of the Local Authorities Co-ordinators of Regulatory Services, the Health Protection Agency*

510 Bioremediation of creosote-contaminated soil in South Africa by landfarming *H.I. Atagana*

521 Characterization of bacteriocin-like inhibitory substances (BLIS) from sourdough lactic acid bacteria and evaluation of their *in vitro* and *in situ* activity *A. Corsetti, L. Settanni & D. Van Sinderen*

535 Characterization of atypical *Erwinia carotovora* strains causing blackleg of potato in Brazil *V. Duarte, S.H. De Boer, L.J. Ward & A.M.R. de Oliveira*

546 A nested-PCR assay for detection of *Xylella fastidiosa* in citrus plants and sharpshooter leafhoppers *L.P. Ciapina, L.M. Carareto Alves & E.G.M. Lemos*

552 Modulation of anti-pathogenic activity in canine-derived *Lactobacillus* species by carbohydrate growth substrate *G. Tzortzis, M.-L.A. Baillon, G.R. Gibson & R.A. Rastall*

560 Identification of the culturable and nonculturable bacterial population in ground water of a municipal water supply in Germany *A. Ultee, N. Souvatzi, K. Maniadi & H. König*

569 Engineering of quorum-sensing systems for improved production of alkaline protease by *Bacillus subtilis* *H. Tjalsma, E.J. Koetje, R. Kiewiet, O.P. Kuipers, M. Kolkman, J. van der Laan, R. Daskin, E. Ferrari & S. Bron*

579 Internal transcribed spacer 2 amplicon as a molecular marker for identification of *Peronospora parasitica* (crucifer downy mildew) *S. Casimiro, M. Moura, L. Zé-Zé, R. Tenreiro & A.A. Monteiro*

588 Monoacylglycerols: glycolipid biosurfactants produced by a thermotolerant yeast, *Candida ishiwadae* *B. Thanomsub, T. Watcharachaipong, K. Chotelersak, P. Arunrattiyakorn, T. Nitoda & H. Kanzaki*

593 Purification and characterization of a branched-chain amino acid aminotransferase from *Lactobacillus paracasei* subsp. *paracasei* CHCC 2115 *B.V. Thage, F.P. Rattray, M.W. Laustsen, Y. Ardö, V. Barkholt & U. Houlberg*

603 Adaptative responses in yeast to the herbicide 2-methyl-4-chlorophenoxyacetic acid at the level of intracellular pH homeostasis *M. Guadalupe Cabral, I. Sá-Correia & C.A. Viegas*

613 Monitoring the efficacy of steam and formaldehyde treatment of naturally *Salmonella*-infected layer houses *K.O. Gradel, J.Chr. Jørgensen, J.S. Andersen & J.E.L. Corry*

623 Factorial analysis of tricarboxylic acid cycle intermediates for optimization of zeaxanthin production from *Flavobacterium multivorum P. Bhosale, A.J. Larson & P.S. Bernstein*

630 *Parvibaculum lavamentivorans* converts linear alkylbenzenesulphonate surfactant to sulphophenylcarboxylates, α,β-unsaturated sulphophenylcarboxylates and sulphophenyldicarboxylates, which are degraded in communities *W. Dong, P. Eichhorn, S. Radajewski, D. Schleheck, K. Denger, T.P. Knepper, J.C. Murrell & A.M. Cook*

Volume 96, Issue 4, April 2004

641 Microbiological monitoring in the biodegradation of sewage sludge and food waste *V.N. Ivanov, J.-Y. Wang, O.V. Stabnikova, S.T.-L. Tay & J.-H. Tay*

648 Characterization of a broad range antimicrobial substance from *Bacillus cereus P.A. Risøen, P. Rønning, I.K. Hegna & A.-B. Kolstø*

656 Improvement of human faecal flora-associated mouse model for evaluation of the functional foods *A. Imaoka, H. Setoyama, A. Takagi, S. Matsumoto & Y. Umesaki*

664 Enhanced recovery and isolation of *Campylobacter* spp. from water using a novel device *M. Baserisalehi, N. Bahador, S.K. Augustine, A.Y. Al-Mahdi & B.P. Kapadnis*

671 Disruption of the *Zymomonas mobilis* extracellular sucrase gene (*sacC*) improves levan production *V. Senthilkumar, N. Rameshkumar, S.J.W. Busby & P. Gunasekaran*

677 Genetic characterization and specific detection of beer-spoilage *Lactobacillus* sp. LA2 and related strains *K. Suzuki, M. Koyanagi & H. Yamashita*

684 Assessment of bacterial endospore viability with fluorescent dyes *C. Laflamme, S. Lavigne, J. Ho & C. Duchaine*

693 Anti-*Salmonella* activity of (2*E*)-alkenals *I. Kubo, K. Fujita, K. Nihei & A. Kubo*

700 Adhesive properties of a LamB-like outer-membrane protein and its contribution to *Aeromonas veronii* adhesion *R.C. Vàzquez-Juárez, M.J. Romero & F. Ascencio*

709 Isolation of *Salmonella* strains from reptile faeces and comparison of different culture media *M. Corrente, A. Madio, K.G. Friedrich, G. Greco, C. Desario, S. Tagliabue, M. D'Incau, M. Campolo & C. Buonavoglia*

716 Impact of essential oils on growth rate, zearalenone and deoxynivalenol production by *Fusarium graminearum* under different temperature and water activity conditions in maize grain *A. Velluti, V. Sanchis, A.J. Ramos, C. Turon & S. Marín*

725 Analysis of the action of compounds that inhibit the germination of spores of *Bacillus* species *D.E. Cortezzo, B. Setlow & P. Setlow*

742 Carbon and nitrogen sources modulate lipase production in the yeast *Yarrowia lipolytica P. Fickers, J.M. Nicaud, C. Gaillardin, J. Destain & P. Thonart*

750 National survey for *Salmonella* in pigs, cattle and sheep at slaughter in Great Britain (1999–2000) *R.H. Davies, R. Dalziel, J.C. Gibbens, J.W. Wilesmith, J.M.B. Ryan, S.J. Evans, C. Byrne, G.A. Paiba, S.J.S. Pascoe & C.J. Teale*

761 Characterization of faecal enterococci from rabbits for the selection of probiotic strains *R. Linaje, M.D. Coloma, G. Pérez-Martínez & M. Zúñiga*

772 Volumetric productivity improvement for endoglucanase of *Trichoderma pseudokoingii* S-38 *X.Y. Duan, S.Y. Liu, W.C. Zhang, Q.X. Zhang & P.J. Gao*

777 Identification method based on PCR combined with automated ribotyping for tracking probiotic *Lactobacillus* strains colonizing the human gut and vagina *M. Massi, B. Vitali, F. Federici, D. Matteuzzi & P. Brigidi*

787 Influence of bovine manure as fertilizer on the bacteriological quality of organic Iceberg lettuce *G.S. Johannessen, R.B. Froseth, L. Solemdal, J. Jarp, Y. Wasteson & L. M. Rørvik*

795 Genetic relatedness among *Campylobacter jejuni* serotyped isolates of diverse origin as determined by numerical analysis of amplified fragment length polymorphism (AFLP) profiles *B.L. Siemer, C.S. Harrington, E.M. Nielsen, B. Borck, N.L. Nielsen, J. Engberg & S.L.W. On*

803 Quantitative evaluation of antifungal activity of metallic oxide powders (MgO, CaO and ZnO) by an indirect conductimetric assay *J. Sawai & T. Yoshikawa*

810 An *Aneurinibacillus* sp. strain AM-1 produces a proline-specific aminopeptidase useful for collagen degradation *A. Murai, Y. Tsujimoto, H. Matsui & K. Watanabe*

819 Use of bacteriocin promoters for gene expression in *Lactobacillus plantarum* C11 *G. Mathiesen, H.M. Namlos, P.A. Risoen, L. Axelsson & V.G.H. Eijsink*

828 Functional significance of a periplasmic Mn-superoxide dismutase from *Aeromonas hydrophila V. Leclère, M. Béchet & R. Blondeau*

834 Diversities and similarities in PFGE profiles of *Campylobacter jejuni* isolated from migrating birds and humans *T. Broman, J. Waldenström, D. Dahlgren, I. Carlsson, I. Eliasson & B. Olsen*

844 Degradation of 2,4,6-tribromophenol by bacterial cells attached to chalk collected from a contaminated aquifer *A. Nejidat, I. Saadi & Z. Ronen*

853 Application of molecular methods for the differentiation of acetic acid bacteria in a red wine fermentation *Á. González, N. Hierro, M. Poblet, N. Rozès, A. Mas & J.M. Guillamón*

861 Molecular monitoring and evaluation of the application of the insect-pathogenic fungus *Beauveria bassiana* in southeast China *C. Wang, M. Fan, Z. Li & T.M. Butt*

871 Intraspecific diversity of the marine fish pathogen *Tenacibaculum maritimum* as determined by randomly amplified polymorphic DNA-PCR *R. Avendaño-Herrera, J. Rodríguez, B. Magariños, J.L. Romalde & A.E. Toranzo*

878 Molecular and phenotypic characterization of nonmotile Gram-negative bacteria associated with spoilage of freshwater fish *I. García-López, A. Otero, M.-L. García-López & J.A. Santos*

887 Comparison of 40 *Salmonella enterica* serovars injured by thermal, high-pressure and irradiation stress *A.E. Sherry, M.F. Patterson & R.H. Madden*

894 Calibration of the impedance method for rapid quantitative estimation of *Escherichia coli* in live marine bivalve molluscs *J. Dupont, F. Dumont, C. Menanteau & M. Pommepuy*

Volume 96, Issue 5, May 2004

903 Cellular effects of monohydrochloride of L-arginine, N^{α}-lauroyl ethylester (LAE) on exposure to *Salmonella typhimurium* and *Staphylococcus aureus E. Rodríguez, J. Seguer, X. Rocabayera & A. Manresa*

913 The diversity of *Listeria monocytogenes* strains from 10 Icelandic sheep farms *K.B. Gudmundsdottir, B. Aalbæk, S. Sigurdarson & E. Gunnarsson*

922 Use of microcosms to determine persistence of *Escherichia coli* in recreational coastal water and sediment and validation with *in situ* measurements *D.L. Craig, H.J. Fallowfield & N.J. Cromar*

931 Effects of divercin V41 combined to NaCl content, phenol (liquid smoke) concentration and pH on *Listeria monocytogenes* ScottA growth in BHI broth by an experimental design approach *M. Lebois, N. Connil, B. Onno, H. Prévost & X. Dousset*

938 Effect of oxygen on survival of faecal pollution indicators in drinking water *P. Roslev, L.A. Bjergbæk & M. Hesselsoe*

946 Genetic characterization of non-spoilage variant isolated from beer-spoilage *Lactobacillus brevis* ABBC45^{C} *K. Suzuki, M. Koyanagi & H. Yamashita*

954 Phylogenetic diversity of drinking water bacteria in a distribution system simulator *M.M. Williams, J.W.S. Domingo, M.C. Meckes, C.A. Kelty & H.S. Rochon*

965 Osmotic and matric potential effects on growth, sugar alcohol and sugar accumulation by *Aspergillus* section *Flavi* strains from Argentina *A. Nesci, M. Etcheverry & N. Magan*

973 Selective isolation of bioactive soil actinomycetes belonging to the *Streptomyces violaceusniger* phenotypic cluster *M. Hayakawa, Y. Yoshida & Y. Iimura*

982 The expression of an R3 lipopolysaccharide-core by pathotypes of *Escherichia coli H. Chart, N.T. Perry & C. Jenkins*

987 Cytotoxic *Bacillus* spp. belonging to the *B. cereus* and *B. subtilis* groups in Norwegian surface waters *Ø. Østensvik, C. From, B. Heidenreich, K. O'Sullivan & P.E. Granum*

994 Secretion of haemolysins and proteases by *Aeromonas hydrophila* EO63: separation and characterization of the serine protease (caseinase) and the metalloprotease (elastase) *C. Esteve & T.H. Birkbeck*

1002 *In vitro* activity of nitrofuran derivatives on growth and morphology of *Salmonella enterica* serotype Enteritidis *M.S. Chadfield & M.H. Hinton*

1013 RAPID detection and quantification of *E. coli* O157/O26/O111 in minced beef by real-time PCR *K.A. O'Hanlon, T.M.G. Catarame, G. Duffy, I.S. Blair & D.A. McDowell*

1024 Comparative survival of probiotic lactobacilli spray-dried in the presence of prebiotic substances *B.M. Corcoran, R.P. Ross, G.F. Fitzgerald & C. Stanton*

1040 Analysis of *gyrA* mutations in quinolone-resistant and -susceptible *Campylobacter jejuni* isolates from retail poultry and human clinical isolates by non-radioactive single-strand conformation polymorphism analysis and DNA sequencing *L. Beckmann, M. Müller, P. Luber, C. Schrader, E. Bartelt & G. Klein*

1048 *Bacillus anthracis* contamination and inhalational anthrax in a mail processing and distribution center *W.T. Sanderson, R.R. Stoddard, A.S. Echt, C.A. Piacitelli, D. Kim, J. Horan, M.M. Davies, R.E. McCleery, P. Muller, T.M. Schnorr, E.M. Ward & T.R. Hales*

1057 Production of exopolysaccharides by Antarctic marine bacterial isolates *C.A. Mancuso Nichols, S. Garon, J.P. Bowman, G. Raguénès & J. Guézennec*

1067 Interactions of *Candida albicans* with other *Candida* spp. and bacteria in the biofilms *M.A. El-Azizi, S.E. Starks & N. Khardori*

1074 Beta-glucan production by *Botryosphaeria rhodina* in different bench-top bioreactors *L. Selbmann, S. Crognale & M. Petruccioli*

1082 Characterization and purification of acidocin CH5, a bacteriocin produced by *Lactobacillus acidophilus* CH5 *J. Chumchalová, J. Stiles, J. Josephsen & M. Plocková*

1090 PCR-based detection of enterotoxigenic *Staphylococcus aureus* in the early stages of raw milk cheese making *D. Ercolini, G. Blaiotta, V. Fusco & S. Coppola*

1097 Validating the use of green fluorescent-marked *Escherichia coli* O157:H7 for assessing the organism behaviour in foods *M. Vialette, A.-M. Jandos-Rudnik, C. Guyard, O. Legeay, A. Pinon & M. Lange*

1105 Optimization of submerged culture requirements for the production of mycelial growth and exopolysaccharide by *Cordyceps jiangxiensis* JXPJ0109 *J.H. Xiao, D.X. Chen, J.W. Liu, Z.L. Liu, W.H. Wan, N. Fang, Y. Xiao, Y. Qi & Z.Q. Liang*

1117 Carbohydrate carbon sources induce loss of flocculation of an ale-brewing yeast strain *E.V. Soares, A. Vroman, J. Mortier, K. Rijsbrack & M. Mota*

1124 A rapid method for the evaluation of both extrinsic and intrinsic contamination and resulting spoilage of water-in-oil emulsions *G.A. O'May, D.G. Allison & P. Gilbert*

1133 Mechanisms of *Bacillus subtilis* spore resistance to and killing by aqueous ozone *S.B. Young & P. Setlow*

1143 Phenotypic properties, drug susceptibility and genetic relatedness of *Stenotrophomonas maltophilia* clinical strains from seven hospitals in Rio de Janeiro, Brazil *L.H. Travassos, M.N. Pinheiro, F.S. Coelho, J.L.M. Sampaio, V.L.C. Merquior & E.A. Marques*

1151 Role of lipopeptides produced by *Bacillus subtilis* GA1 in the reduction of grey mould disease caused by *Botrytis cinerea* on apple *Y. Touré, M. Ongena, P. Jacques, A. Guiro & P. Thonart*

1161 Genomic characterization of *Saccharomyces cerevisiae* strains isolated from wine-producing areas in South America *C. Martínez, S. Gac, A. Lavín & M. Ganga*

1169 Genetic segregation of natural *Saccharomyces cerevisiae* strains derived from spontaneous fermentation of Aglianico wine *M. Sipiczki, P. Romano, A. Capece & M. Paraggio*

1176 Methionine catabolism and production of volatile sulphur compounds by *Œnococcus œni L. Pripis-Nicolau, G. de Revel, A. Bertrand & A. Lonvaud-Funel*

1185 Catabolism of leucine to branched-chain fatty acids in *Staphylococcus xylosus H.C. Beck, A.M. Hansen & F.R. Lauritsen*

1194 Assessment of discriminatory power of three different fingerprinting methods based on killer toxin sensitivity for the differentiation of *Saccharomyces cerevisiae* strains *P. Buzzini, B. Turchetti & A. Martini*

1202 Letters to the Editor

Volume 96, Issue 6, June 2004

1205 Stationary-phase acid and heat treatments for improvement of the viability of probiotic lactobacilli and bifidobacteria *M. Saarela, M. Rantala, K. Hallamaa, L. Nohynek, I. Virkajärvi & J. Mättö*

1215 Effect of culture conditions on lactic acid production of *Tetragenococcus* species *T. Kobayashi, M. Kajiwara, M. Wahyuni, N. Hamada-Sato, C. Imada & E. Watanabe*

1222 Survival of *Cryptosporidium* species in environments relevant to foods and beverages *D.J. Dawson, C.M. Samuel, V. Scrannage & C.J. Atherton*

1230 Virulence characteristics and epidemiology of *Yersinia enterocolitica* and Yersiniae other than *Y. pseudotuberculosis* and *Y. pestis* isolated from water and sewage *J.P. Falcão, M. Brocchi, J.L. Proença-Módena, G.O. Acrani, E.F. Corrêa & D.P. Falcão*

1237 Comparison of the glutamate-, arginine- and lysine-dependent acid resistance systems in *Escherichia coli* O157:H7 *F. Diez-Gonzalez & Y. Karaibrahimoglu*

1245 Mechanism of the hydrolysis of 4-methylumbelliferyl-β-D-glucoside by germinating and outgrowing spores of *Bacillus* species *B. Setlow, R.-M. Cabrera-Martinez & P. Setlow*

1256 The *Neurospora crassa cfp* promoter drives a carbon source-dependent expression of transgenes in filamentous fungi *E.D. Temporini, M.E. Alvarez, M.R. Mautino, H.D. Folco & A.L. Rosa*

1265 A multiplex PCR for detection of genes encoding exfoliative toxins from *Staphylococcus hyicus* *L.O. Andresen & P. Ahrens*

1271 The heat shock response is dependent on the external environment and on rapid ionic balancing by pharmacological agents in *Saccharomyces cerevisiae* *I. Vovou, A. Delitheos & E. Tiligada*

1278 Enrichment and identification of bacteria capable of reducing chemical oxygen demand of anaerobically treated molasses spent wash *M. Ghosh, S.C. Verma, A. Mengoni & A.K. Tripathi*

1287 Resistance, biguanide sorption and biguanide-induced pentose leakage during encystment of *Acanthamoeba castellanii* *N.A. Turner, A.D. Russell, J.R. Furr & D. Lloyd*

1296 Morphological and rheological properties of the three different species of basidiomycetes *Phellinus* in submerged cultures *H.J. Hwang, S.W. Kim, C.P. Xu, J.W. Choi & J.W. Yun*

1306 Cloning and expression of a novel esterase gene *cpoA* from *Burkholderia cepacia* *C.H. Kim, J.H. Lee, J.H. Heo, O.S. Kwon, H.A. Kang & S.K. Rhee*

1317 Mutation of *Gluconobacter oxydans* and *Bacillus megaterium* in a two-step process of L-ascorbic acid manufacture by ion beam *A. Xu, J. Yao, L. Yu, S. Lv, J. Wang, B. Yan & Z. Yu*

1324 Detection of resistance of lactic acid bacteria to a mixture of the hop analogue compounds tetrahydroiso-α-acids by noninvasive measurement of intracellular pH *A. Yansanjav, H. Siegumfeldt, L. Jespersen, M. Vancanneyt, J. Swings, I. Hollerová & J.J. Leisner*

1333 Screening of bacterial contamination during gelatine production by means of denaturing gradient gel electrophoresis, focussed on *Bacillus* and related endospore-forming genera *E. De Clerck, D. Gevers, K. De Ridder & P. De Vos*

1342 Preparation of milk samples for PCR analysis using a rapid filtration technique *S.-J. Wu & C.I. Kado*

1347 Protective immunity of SpaA-antigen producing *Lactococcus lactis* against *Erysipelothrix rhusiopathiae* infection *H.I. Cheun, K. Kawamoto, M. Hiramatsu, H. Tamaoki, T. Shirahata, S. Igimi & S.-I. Makino*

1354 Survival of spores of *Rhizopus stolonifer*, *Aspergillus niger*, *Botrytis cinerea* and *Alternaria alternata* after exposure to ethanol solutions at various temperatures *F. Mlikota Gabler, M.F. Mansour, J.L. Smilanick & B.E. Mackey*

1361 Identification and prevalence of an enterotoxin-related gene, *se-int*, in *Staphylococcus intermedius* isolates from dogs and pigeons *K. Futagawa-Saito, M. Suzuki, M. Ohsawa, S. Ohshima, N. Sakurai, W. Ba-Thein & T. Fukuyasu*

1367 Influence of growth environment on coaggregation between freshwater biofilm bacteria *A.H. Rickard, P. Gilbert & P.S. Handley*

1375 Index